Noxubee County Health Profile



State of Mississippi Mississippi State Department of Health Office of Science

March 2003

Mississippi State Department of Health Office of Science

Brian W. Amy, M.D., M.H.A., M.P.H. State Health Officer

> Peter J. Fos, Ph.D, M.P.H. Chief Science Officer

Claudia Dvorak, M.L.S., M.B.A.
Mississippi State Department of Health
Office of Science
(601)576-8046
570 E. Woodrow Wilson
Jackson, MS 39215



Table of Contents

	Introductioniii
I.	County Demographic Distribution
	County Demographic Distribution
	Income and Poverty
	Racial Distribution
	Age Distribution
	Workforce 5
	County Racial Change, 1990 - 2000
	Projections for Population Over 64 Years
	County Nursing Home Beds, Projection
II.	Maternal and Child Health Indicators
	Pregnancy, Infancy, Infant Mortality
	Low Birthweight Newborns
	Births to Unmarried Mothers
	Unmarried Mother Births 1991 - 2001
	Infant Mortality
	Neonatal Mortality
	Postneonatal Mortality
	Births to Teenage Mothers
III.	Illness and Death
	Statewide Causes of Death
	Causes of Death, All Races
	Causes of Death, Whites
	Cause of Death, Non-Whites
	West Nile Virus, Human
	West Nile Virus, Animal
IV.	Injuries
	Accidental Deaths, Causes
	Spinal Cord Injuries
	Injury Prevention
	Tobacco, School Health Nurses

V.	Public Health Services to the County	
	Women, Infants, Children & Child Health	27
	Maternity/Perinatal Services	
	Genetics, Family Planning	
	Immunization	30
	Tuberculosis, STD's	31
	Environmental Inspections	32
	Boiler and Pressure Vessel Safety	
	Public Water Supply	

Introduction

The Mississippi State Department of Health's mission is to promote and protect the health of the citizens of Mississippi. The Mississippi State Department of Health strives for excellence in government, cultural competence in the carrying out of our mission, and to seek local solutions to local problems.

This report is intended to be a general overview of health status for a specific County. Since health status and health needs vary by sex, age, and race, we are starting with a population snapshot of the County to show how it compares with the State as a whole.

Throughout this Profile, each chart is clearly labeled regarding health factors which were measured for that chart. Data was utilized from statistical reports from the Mississippi State Department of Health, the Mississippi Data Center, and the U.S. Census.

For most charts, we provide a basis for comparison. Sometimes it is how a health measure has changed over time, sometimes it is a comparison of the County to the State, or to the Nation.

The most difficult aspect of preparing this Profile was trying to address racial and ethnic sensitivities. Our largest minority group is that commonly referred to as "Black" or "African American." In the reports which have been collected by Vital Statistics for years, the traditional nomenclature was "Non-White" and we have followed that tradition in our labels.

For most of the health indices reported in this County Profile, Non-White rates are considerably worse than White rates. This same trend is seen across Mississippi and the United States. We believe that this reflects lower average levels of personal income and educational attainment in the Non-White community, as compared to the White community.

Until the social and economic inequities between Whites and Blacks can be addressed, many of the gaps between Whites and Non-Whites in illness and death rates can be substantially reduced through the provision of public health, medical, and social services.

The Office of Science County Health Profiles are available on the web at: http://www.msdh.state.ms.us/County.


County Demographic Distribution

The availability and accessibility of health care services is essential to meet the needs of the state's population. Sixty-four of Mississippi's 82 counties are designated as health professional shortage areas, including Noxubee County¹. This is based on the desired ratio of one primary care provider for 3500 population.

Noxubee County Total Population = 12,548

Projected Population $2005 = 12,144^2$





In FY2002, Noxubee County had 8 Primary Care Physicians and 2 dentists.³

¹The US Dept. of Health and Human Services defines a health professional shortage area as a geographic area encompassing 30 minutes travel time and containing at least 3,500 persons per primary care physician. MS State Health Plan FY2003, p. V-2.


²US Census 2000 and <u>MS Population Projections</u>, Center for Policy Research and Planning, MS Institutions of Higher Learning, Sept. 1998.

³MSDH State Health Plan FY2003.

Income and Poverty Noxubee County, 1999

In Mississippi as a whole, 19.9% of the population, of all ages, had income in 1999 below poverty level. In Noxubee County, 32.8% of the population, of all ages, had income in 1999 below poverty level, while 43.6% of related children under the age of 18 were determined to have poverty status and 29.2% over age 65 had income below poverty level in 1999.

Percent of Population in Poverty



Income in 1999 Below Poverty Level, Percent


County State

Noxubee

County has a higher percentage of population in poverty than the percentage Statewide.

Source: US Census, 2000


Racial Distribution



Noxubee County has a Non-White population of 69.3%, compared to the State's 36.3%. Noxubee County has an Hispanic population of 1.1%, about the same as the State's 1.4%.

Noxubee County has fewer Whites and more Non-Whites than Statewide percentages.

Source: U.S. Census 2000



County population shows a predominance of two age groups, those under age 18 and those aged 25 - 44. The County has 12.8% persons over the age of 65, compared to the State's 12.1%.

Noxubee County has about the same age distribution as is seen Statewide.


Source: U.S.Census 2000

.

Workforce

As of 2000, Noxubee County has 4,469 persons in the civilian labor force. Of those, 4.6% are unemployed and looking for work. Statewide, 4.3% of the workforce is unemployed.

County and State Unemployed, 2000




County residents who are employed will typically have improved opportunities to access health care through employer-supported health plans. Those residents who are not employed will have greater needs for Public Health services.

Noxubee County has a slightly higher percent of unemployment than Statewide.

Source: U.S. Census 2000

County Racial Change, 1990 - 2000

The total County population changed little in the decade of 1990 - 2000. The White population declined slightly, from 3,959 to 3,700, and the Non-White population grew slightly, from 8,645 to 8,848. The percent change was -6.5% White, +2.3% Non-White.




Noxubee County White population declined and Non-White population increased in the last ten years, while total County population remained constant.

Source: Vital Statistics Mississippi 2000, MSDH

Projections for Population Over 64 Years of Age

As people get older, their risk for disease and debilitating chronic conditions increase, as well as their need for more medical care. This trend becomes noticeable at about age 65 and directly increases with age.



As the population ages, the need for hospital, nursing home and chronic illness care increases. In addition, as age increases a dramatic increase in the need for home health and case management services, especially for persons over the age of 85 who live in their own homes, is also observed.

The number of Noxubee County population over age 65 will continue to grow.

Source: Center for Policy Research & Planning, Mississippi Institutions of Higher Learning

County Nursing Home Beds, Projection (2005)

There are 60 licensed nursing home beds in the County. The projected need for 2005 is for 83 beds. The MSDH uses population projections prepared by the Center for Policy Research and Planning of the Institutions of Higher Learning to calculate bed need, which is established at:


0.5 beds per 1,000 population aged 64 and under

14 beds per 1,000 population aged 65-74

59 beds per 1,000 population aged 75-84

179 beds per 1,000 population aged 85 and older

Noxubee County Nursing Home Bed Need, 2005



In both Whites and Non-Whites, a significant increase in the number of people 80 years of age and older is projected. This expectation indicates a greater need for elderly health care services, including nursing home facilities, in Noxubee County.

Noxubee County will need additional nursing home beds as the population ages.


Source: MSDH State Health Plan 2003

Maternal and Child Health Indicators

Pregnancy, Infancy and Infant Mortality

Pregnancy and infancy are periods of rapid growth and development, and high vulnerability. This is the period when a small investment in preventive services can pay the greatest dividends concerning preventing illness, disability and premature death. For these reasons, infant mortality has become the measure used to compare states and nations in terms of the quality of life and access to the most basic of health-related services.

Live Births by Race 2001




There were 220 total live births in Noxubee County for the year 2001. Of these, 48 were White and 172 were Non-White. The rate per 1,000 live births for the County was 13.0 White, 19.4 Non-White, compared to the State rate of 13.0 White and 17.7 Non-White.

When compared to the State, Noxubee County had the same rate of White births and a greater rate of Non-White live births in 2001.

Percent Low Birthweight Newborns

A low birthweight baby is one that weighs less than five and a half pounds (2,500 grams) at birth. These babies have more illnesses and higher death rates. Low birthweight can be due to teenage mothers, poor nutritional status of the mother, prematurity, maternal or infant illness, maternal exposure to tobacco smoke, alcohol, drugs, or other causes. Adolescents, women over 35, women with pregnancies spaced too close together, and those that do not receive adequate prenatal care are all at high risk of having a low birthweight infant.

Percent Low Birthweight Newborns, 2000




The risk of dying during the first year of life for low-birthweight babies is 24 times that for babies of normal birthweight. The high rate among African Americans of low-birthweight babies has been explained by factors such as geographic isolation (people who are unable to access support services easily) and lack of health insurance.

In Noxubee County, the percent of Non-White low birthweight newborns is higher than State and National percentages.

Source: CDC National Vital Statistics Report 2002 and Vital Statistics 2000, MSDH

Births to Unmarried Mothers Percent of Total Live Births, 2001



In Noxubee County, 77.9% of all Non-White births are to unmarried mothers. The percentage of Non-White births to unmarried mothers in the County is higher than the Statewide percentage, while the percentage of White births to unmarried mothers is lower than Statewide.


Children of unmarried mothers are substantially less likely to graduate from high school than the children of married mothers, regardless of the mother's age at the time of birth⁴. Children who grow up with married parents generally enjoy a higher standard of living than those living in single-parent households⁵.

Chart Source: Vital Statistics Mississippi 2001, MSDH

⁴Out of Wedlock: Causes and Consequences of Nonmarital Fertility, ed. Lawrence L. Wu and Barbara Wolfe [New York: Russell Sage Foundation, 2001], pp. 287-316.

⁵Marriage, Poverty, and Public Policy: A Discussion Paper from the Council on Contemporary Families. Prepared for the Fifth Annual CCF Conference, April 26, 2002. Stephanie Coontz and Nancy Folbre.

Percent Change, 1991 - 2001 Unmarried Mother Live Births



Percent of Total Live Births

Out-of-wedlock childbearing has risen dramatically nationwide, from 5.3% of all births in 1960 to 33% of all births in 1999. The percent of births to unmarried mothers in Mississippi statewide is 22.4% among Whites and 74.3% among Non-Whites.

The percentage of babies born to unmarried mothers in the County decreased for Whites from 5.3% in 1991 to 2.1% in 2001. However, the percentage of Non-White births to unmarried mothers increased in the same period, from 68.4% to 77.9%⁷.

In Noxubee County in 2001, Non-White births to unmarried mothers are increasing.

MSDH, Office of Science


⁶National Center for Health Statistics, <u>National Vital Statistics Reports</u>, vol. 48, no.16, Oct. 18, 2000.

⁷Mississippi Health Futures County Data Book, MSDH, 1993; and Vital Statistics 2001, MSDH.

Infant Mortality

Infant mortality reflects deaths in the first year of life, and is measured using the infant mortality rate. Infant mortality rate is measured as the proportion of deaths in the first year of life in every 1,000 live births.

Having babies when the mother is too young or too old, having them too closely together, poor maternal health or poor nutrition all increase the risk of infant death. Chemical toxins such as alcohol, drugs and tobacco smoke also increase the risk. After the first month of life, poor infant nutrition, poor hygiene and infectious diseases all increase risk.




In Noxubee County, the infant mortality rate of 19.3 per 1,000 for Non-Whites during 1987-1991 has shown an increase to 32.1 per 1,000 in 1997-2001. For Whites, the infant mortality rate of 3.8 during 1987-1991 has decreased to zero during 1997-2001.

Non-White infant mortality in Noxubee County is increasing.

Neonatal Mortality

Neonatal mortality represents infant deaths in the first 28 days of life. Deaths during this time are generally due to causes affecting the mother before and during pregnancy. Neonatal mortality rate is measured as the proportion of deaths in the first 28 days of life in every 1,000 live births.



The County Neonatal death rate has increased for Non-Whites and has decreased for Non-Whites. For Non-Whites, the current rate of 14.9 is higher than the 1987-1991 rate of 13.2. The current White rate of zero has remained constant since 1987-1991.


County Non-White Neonatal mortality rates are higher than State rates and have increased.

Source: MSDH Vital Statistics

Postneonatal Mortality

Postneonatal Mortality is measured as the proportion of deaths among infants aged 28 days to one year in every 1,000 live births. The Postneonatal mortality rate is an important measure of health, because nearly half of these deaths are caused by preventable causes such as SIDS, infections, and injuries. With education and health care interventions, postneonatal mortality rates can be reduced and the racial gap in these deaths can be narrowed.

Noxubee County, 1987 - 2001



Rate per 1,000 Live Births


For Non-Whites, the postneonatal mortality rate has shown a sharp increase in Noxubee County, from a rate of 5.6 during 1987-91, to a rate of 13.3 during 1997-2001. Among Whites, postneonatal deaths have decreased from a rate of 3.8 during 1987-1991 to zero in 1997-2001.

The Postneonatal Mortality rate in Noxubee County has increased for Non-Whites.

Source: MSDH Vital Statistics

Births to Teenage Mothers 1987 - 2001

Mississippi has the highest rate in the nation of births to teens. Teen mothers are more likely to drop out of school, require long-term financial support, and be involved in child abuse. Unplanned pregnancies account for a majority of the births among women with family incomes below the poverty level⁸.



MSDH Vital Statistics 2001

Births to teenage mothers were 23.9% of the total live births during 1987-1991 in Noxubee County, and decreased to 20.0% during 1997-2001.

County teenage motherhood rates have been, and remain, higher than the State average.

MSDH, Office of Science


⁸ MSDH Strategic Plan 2003 - 2007

Illness and Death

Many premature deaths can be prevented, allowing the person to have more productive years of life. The majority of deaths result from heart disease, cancer, stroke and injury.

By looking at the numbers of deaths, the age, sex and race adjusted rates, and the years of potential life lost by premature deaths, much can be learned about the health of a community. Deaths during childhood, adolescence and young adulthood especially reflect community health.


This section of the County Health Profile addresses those causes of death that are most common and most preventable.




Statewide, the leading causes of death are heart disease, cancer, stroke and accidents.

Causes of Death, All Races

In Noxubee County, as in the State, the two leading causes of death are heart disease and cancer.





Source: MSDH Vital Statistics, 2001


Leading causes of death vary substantially by age; the leading cause of death for age groups from 1-4 to 25-34 years is unintentional injuries⁹. Since Noxubee County has a preponderance of population in those age groups, this is reflected in the higher rate of death from accidents in the County than is seen Statewide.

Noxubee County has a higher rate of mortality from accidents than is seen Statewide.

MSDH, Office of Science

⁹National Vit<u>al Statistics Report</u>, Vol. 50, No. 16, September 16, 2002 p. 7.

Causes of Death, Noxubee County White Population, 2001




Smoking is the single most important modifiable risk factor for cardiovascular disease and coronary heart disease. Approximately 24% of adult Mississipians are smokers. Although this percentage has decreased since the 1940's when 50-60% of all adults smoked, there have not been decreases in the percentage of current smokers in Mississippi since 1990¹⁰.

In Noxubee County, the highest rate of death for Whites is from cardiovascular disease.

MSDH, Office of Science

 $^{^{10}}$ Penman AD, Johnson D. The 2000 Mississippi State of the Heart Report. MSDH and the American Heart Association, Southeast Affiliate, March 2000.

Causes of Death, Noxubee County Non-White Population, 2001



Mortality Rate per 1,000 population Source: Vital Statistics 2001. MSDH

In Noxubee County in 2001, the highest rate of death for Non-Whites, as for Whites, was from Heart Disease.

For reasons that are not understood, Non-Whites have about a 33% higher death rate for all cancers than Whites, according to the American Cancer Society. Additionally, Non-Whites have a higher rate of death due to injury. Both these higher rates are seen in Noxubee County.

MSDH, Office of Science

20

¹¹Cancer Facts & Figures 2002, American Cancer Society, 2002.


¹²Differences in Death Rates due to Injury Among Blacks and Whites, 1984. Jama A. Gulaid, Chukwudi Onwuachi-Saunders, CDC, MMWR, Surveillance Summaries, July 01, 1988/37 (SS-3); 25-31.


West Nile Virus

West Nile virus is spread by the bite of an infected mosquito, and can infect people, horses, and many types of birds. Most people who become infected with West Nile Virus will have either no symptoms or only mild ones. However, West Nile Virus infection can result in severe and sometimes fatal illnesses.

Human Cases of West Nile Virus, 2002








In Mississippi in 2002, there were 190 human cases with 12 mortality from West Nile Virus. In Noxubee County, there were no human cases nor mortality from West Nile Virus in 2002.

West Nile Virus, Noxubee County, 2002

Since the original 1999 outbreak in New York City, the finding of dead birds that test positive for West Nile Virus is an indicator of virus activity in the area. Horses also provide an indicator of the virus and are tested for that reason.

Noxubee County West Nile Virus, Horses and Birds, 2002




In Noxubee County in 2002, there was 1 horse submitted for testing and that horse tested positive for West Nile Virus.

There were 31 reports of dead birds in 2002 in Noxubee County. Of those, 10 birds were submitted for testing and 1 bird tested positive for West Nile Virus.

Injuries Accidental Deaths, County & State

Number of Deaths, 2001




Both the County and the State suffer the highest rate of accidental death from vehicular accidents. Other causes include suicide, death as a result of falls, poisoning, and deaths related to fire, smoke, or flames.

In 2001, Noxubee County had 7 deaths from motor vehicle accidents, 2 deaths from gunshot wounds, and 1 suicide.

Spinal Cord Injuries

Statewide and Countywide, 2001

Spinal Cord Injuries have a profound effect on the future of Mississippians, since they often remove an individual from study and work during their most productive ages. These injuries cause many people to need state support for the remainder of their lives.




The leading causes of spinal cord injury vary by age. Among persons under age 65, motor vehicle crashes are the leading cause. Among persons over 65, most spinal cord injuries are caused by falls.

In 2001, Noxubee County had no cases of spinal cord injury. Throughout the State, 149 people sustained spinal cord injuries.

Injury Prevention

Injuries are the single greatest cause of mortality in Mississippi for persons between the ages of one and forty-four. Mississippi's mortality rate from injuries is the second highest in the nation. The Injury Prevention Program manages activities aimed at reducing injuries by coordinating the MSDH child safety seat program and other injury prevention efforts including bicycle safety projects and fire prevention projects.

In 2002, a total of 3,530 child safety seats were purchased by the MSDH and distributed statewide. Child passenger safety packets were distributed along with the car seats.



In Public Health District IV, which includes Noxubee County, 250 car seats were purchased and distributed in 2002.

School Health Nurses for a Tobacco-Free Mississippi

The School Health Nurses for a Tobacco-Free Mississippi program places school nurses into Mississippi's public school system whose major job function, other than their normal day-to-day nursing duties, is to teach Mississippi school age children the dangers of tobacco use.

During the 2000 - 2001 school year, nurses in the tobacco program conducted activities aimed at reducing or preventing youth tobacco use for 44,250 students in Mississippi.




Currently, the Partnership for a Healthy Mississippi funds 51 school districts statewide with the tobacco prevention program. **Noxubee County currently has a Tobacco School Nurse program.**

Students exposed to the School Nurses for a Tobacco-Free Mississippi program were significantly more likely to know tobacco can hurt and kill; that cigarettes contain drugs; that tobacco causes cancer and heart disease; and that second-hand smoke is dangerous¹³.

MSDH, Office of Science

¹³Mississippi Youth Tobacco Survey 2000, MSDH.

Patients Served by MSDH, Noxubee County, 2000




The Supplemental Food Program for Women, Infants, and Children (WIC) provides health screening, certification, and nutrition education to pregnant, breast-feeding, and postpartum women, infants, and children who qualify. Monthly food packages are distributed directly to participants through 93 distribution centers located in every county in the state.

The Child and Adolescent Health Program provides childhood immunizations, well child assessments, limited sick child care, and tracking of high-risk children. Services are provided via a multidisciplinary team including medical, nursing, nutrition, and social work.

In Noxubee County in 2000, 1,130 people were served by the WIC program and 1,164 patients were served by the Child/Adolescent Health program.

Patients Served by MSDH, Noxubee County, 2000




Maternity services are provided by the Department of Health statewide to more than 12,400 women through County Health Departments, targeting low-income pregnant women.

The Perinatal High Risk Management/Infant Services System program is designed to reduce low birth weight and infant mortality through a multidisciplinary, family-oriented, risk reduction program that provides an array of supplemental services including nutrition and counseling.

In 2000, 172 Maternity patients and 220 Perinatal High Risk Management patients were served by the MSDH in Noxubee County.

Patients Served by MSDH, Noxubee County, 2000




Mississippi leads the nation in births to teens. **The Family Planning Program** seeks to provide counseling, medical examination, education, and contraceptives for teenagers at risk and low-income women to allow individuals to prevent unplanned pregnancies and to space children.

The Genetics Program provides screening, diagnosis, counseling, and follow-up for a range of genetic disorders and has developed comprehensive genetic services statewide. The Genetics Program also collects data for the birth defects registry.

In Noxubee County, the Genetics program provided service to 45 patients and the Family Planning Program provided service to 819 patients.

Number of Patients Served, Noxubee County, 2000




Vaccines are among

the safest and most effective measures for the prevention of infectious and communicable diseases. The Division of Immunization provides services designed to limit illness and death due to childhood vaccine-preventable diseases such as diphtheria, tetanus, pertussis, polio, measles, mumps, rubella, influenza-type b, hepatitis A, hepatitis B, and chickenpox.

The Division administers vaccines, monitors immunization levels, provides disease surveillance and outbreak control, information and education, and enforcement of immunization laws.

In 2000, the Immunization Program served 1384 patients in Noxubee County.

Public Health Services to the County Number of Patients Served, Noxubee County, 2000




There were 154 new cases of tuberculosis (TB) reported in Mississippi during 2001. The TB program provides early and rapid detection of persons with or at risk of developing TB; treatment and follow-up of diagnosed cases; preventive therapy to persons at risk of developing TB; and technical assistance to public and private agencies and institutions, particularly hospitals, nursing homes, mental institutions, and penal institutions.

Sexually Transmitted Diseases (STDs) are infections spread from one person to another person during sexual contact. The goal of the STD control program is the reduction and practical management of STD in Mississippi.

During the year 2000, the Tuberculosis Control Program served 122 persons in Noxubee County, and the STD program served 113 persons in the County.

Environmental Health Services

Number of Inspections, Noxubee County, 2000



Health Protection for the people of Mississippi is one of the chief responsibilities of the Mississippi State Department of Health. From the quality of our food and water, to child care and professional licensing, our concerns embrace every aspect of life across the state. Our goal is to achieve and maintain the highest standard of health for all Mississippians.


In 2000, 84 Food Establishments, 11 Public Water Systems, 0 Tanning Facilities and 9 Child Care Centers in Noxubee County were inspected by the Department of Health.

Boiler and Pressure Vessel Safety

Citizens and their properties, both public and private, are endangered by unsafe boiler and pressure vessels. Explosions have caused fatalities and considerable property damage. Tanks storing compressed air are the objects most frequently involved in such explosions.

The Boiler and Pressure Vessel Safety Branch conducts inspections and certifies the use of all boilers and pressure vessels covered by law. Violations were found in state-owned buildings, schools, hospitals, nursing homes and small businesses.

Noxubee County, Number of Inspections, 2002




In 2002, the Boiler and Pressure Vessel Safety Program inspected a total of 275 boilers, vessels and heaters in Noxubee County on either an annual or biennial basis.

Public Water Supply

Public water supplies provide drinking water to 96% of the state's citizens. The Public Water Supply Program monitors drinking water quality, follows-up and resolves water quality violations and works toward the goal of ensuring public water supplies comply with all Safe Drinking Water Act water quality standards.

Maximum Contaminant Level



The Environmental Protection Agency sets national limits on contaminant levels in drinking water to ensure that the water is safe for human consumption. These limits are known as Maximum Contaminant Levels. During 2001, 68 Public Water Supplies incurred Maximum Contaminant Level (MCL) violations statewide.

No public water supplies in Noxubee County incurred MCL violations in 2001.